



 **nuova**
SIMONELLI[®]
espresso coffee machines



PUBLIC PRICE LIST 2015



PRICE LIST

TALENTO



Plus colour **Black**
Special colour **White**

Superautomatic espresso coffee machine with thermocompensated metal group; Double grinder ($\Phi = 65$ mm); 1.5 kg containers; Double insulated boiler; two beverages brewed simultaneously with patented flow division system; Height-adjustable nozzle (85mm- 190mm); Mousse milk system with adjustable temperature and density (Vers. Special); Built-in cappuccino maker (Vers. Plus); Emulsifier built-in (Vers. Special); Stainless steel steam wand with new "easycream" system (Optional); Hot water wand in stainless steel; Multicolour graphic display; Body and frame in stainless steel; Hourly production of up to 240 cups of espresso and 180 cappuccinos; USB slot; TFI display (only special version); Double motor for powder bengerages (only special mix version).

MODEL	FEATURES	VERSIONS	CODE	PRICE €
Special Mix	Coffee boiler Lt 2; Service boiler Lt. 3; Power 5400W; Voltage 230V/380V; Frequency 50/60 Hz Dim WxDxH (565x608x844) mm Hopper powder bengerages: 2x750gr Net/Gross Weight: 67/77 Kg	230/380 V		11.700
Special	Coffee boiler Lt 2; Service boiler Lt. 3; Power 5400W; Voltage 230V/380V; Frequency 50/60 Hz Dim WxDxH(400x608x844) mm Net/Gross Weight: 66/76 Kg	TFT		9.800
		230/380 V	MTALE11CMK21	9.300
Plus	Coffee boiler Lt. 2; Service boiler Lt. 3; Power 5400W; Voltage 230V/380V; Frequency 50/60 Hz Dim WxDxH(400x608x844) mm Net/Gross Weight: 66/76 Kg	230 V	MTALE11CAP21	8.200
		380 V	MTALE11CAP21	
Milk fridge module	Refrigerating compressor; Refrigerating gas R134a; Capacity Lt. 15; Power 100W; Temperature electronic control with LCD display; Voltage 230 50/60Hz; Dim WxDxH (270x430x700) mm Net/Gross Weight: 18/22 Kg	230 V	KFP20202	1.940
Cup warmer module	N. 3 drawers; Cups per drawer: 30 coffee or 16 cappuccinos; Power 300W; Voltage 230 50/60Hz; Dim WxDxH (270x430x700) mm Net/Gross Weight: 10/14 Kg	230 V	KSET0001	1.025

OPTIONAL	FEATURES	VERSIONS	CODE	PRICE €
Hot water economizer				100
"Easy cream" steam nozzle	With air compressor and milk temperature electronic control	Plus		580
		Special		350
International certification				75
Water softener	Water softener 8 lt	Manual	KD80000	120
	Water softener 9 lt Electronic - Volumetric	Automatic	KD9E0000	710
	Water softener 12 lt	Manual	KD120000	140
Direct drain drawer	Made of stainless steel with direct drain			35



PRICE LIST

PRONTOBAR

Superautomatic espresso coffee machine with removable and thermocompensated metal group; Volumetric pump; Built-in cappuccino maker; 1 or 2 grinders (Ø = 50 mm); 0,8 kg containers; Double insulated boiler; Height-adjustable nozzle; Stainless steel steam wand with Autosteam system (Optional); Hot water wand in stainless steel; Multifunction graphic display; Water tank or direct connection (Vers. AD); Body and frame in stainless steel and ABS; Hourly production of up to 140 cups of espresso and 70 cappuccinos; USB slot.



Standard colour

Black White

MODEL	FEATURES	VERSIONS	CODE	PRICE €
1 grinder	Group Ø 43 mm.; 1 Grinder (Ø = 50 mm); Boiler capacity 1.4 liters; Water Tank Capacity: 5 liters; Power: 2000 W; Voltage: 208/240V; Frequency: 50/60 Hz; Dimensions: WxDxH (330x520x600); Net/Gross weight: 33/39 Kg	230V	MPROB13CAP11	4.160
1 grinder AD	Group Ø 43 mm., 1 Grinder (Ø = 50 mm) Boiler capacity 1.4 liters, Direct Water Mains attachment, Power: 2000 W, Voltage: 208/240V, frequency: 50/60 Hz Dimensions: WxDxH (330x520x600) Net/Gross weight: 33/39 Kg	230V	MPROB13CAP11	4.160
2 grinders	Group Ø 43 mm., 2 Grinders (Ø = 50 mm) Boiler capacity 1.4 liters, Water Tank Capacity: 5 liters, Power: 2000 W, Voltage: 208/240V, frequency: 50/60 Hz Dimensions: WxDxH (330x520x600) Net/Gross weight: 37/43 Kg	230V	MPROB13CAP21	4.490
2 grinders AD	Group Ø 43 mm., 2 Grinders (Ø = 50 mm) Boiler capacity 1.4 liters, Direct Water Mains attachment, Power: 2000 W, Voltage: 208/240V, frequency: 50/60 Hz Dimensions: WxDxH (330x520x600) Net/Gross weight: 37/43 Kg	230V	MPROB13CAP21	4.490
Prontofrigo	Compressor; Cooling system R134a; Capacity Lt. 7; Power 75W; Electronic temperature control with LCD display; Voltage 230V 50/60Hz; Dimensions WxDxH (290x400x490) Net weight 17 Kg	230V	KFP30201	1.140

OPTIONAL	FEATURES	VERSIONS	CODE	PRICE €
International certification				75
Hot water extension	For caffè americano			60
"Smart Wand" steam nozzle	With milk temperature electronic control			330
Cup warmer module	Power 200W; Voltage 230V - 50 Hz; WxDxH 250 x 295 x 480 Weight 7,3 Kg.		ASCMICRO30.1	495
Direct drain drawer	In stainless steel with direct discharge base			25



PRICE LIST

MICROBAR II

Superautomatic compact machine with Built-in Cappuccino maker; Removable metal group; 1 built-in grinders (Ø = 50 mm); Built-in Hopper 250 g; Insulated boiler; Removable and height adjustable dispenser; Removable and adjustable nozzle; Stainless steel and ABS body; Up to 100 espressos or cappuccinos per day.

NEW



Standard Colours

Pearl White

Heart Red


MODEL	FEATURES	VERSIONS	CODE	PRICE €
Coffee	Group Ø 43 mm., 1 Grinder (Ø = 50 mm) Boiler capacity: Lt 0.7, Water Tank Capacity: 5 liters, Power: 1000 W, Voltage: 115/230V, Frequency: 50/60 Hz Dimensions: WxDxH (325x460x480); Net / Gross weight: 26/31 Kg	115V	MMICRIICOF11	2.260
		230V	MMICRIICOF11	
Coffee AD	Group Ø 43 mm., 1 Grinder (Ø = 50 mm) Boiler capacity: Lt 0.7, Direct Water Mains attachment, Power: 1000 W, Voltage: 115/230V, Frequency: 50/60 Hz Dimensions: WxDxH (325x460x480); Net / Gross weight: 26/31 Kg	115V	MMICRIICOF11	2.320
		230V	MMICRIICOF11	
Cappuccino	Group Ø 43 mm., 1 Grinders (Ø = 50 mm) Boiler capacity: Lt 0.7, Water Tank Capacity: 5 liters, Power: 2000 W, Voltage: 115/230V, Frequency: 50/60 Hz Dimensions: WxDxH (325x460x480); Net / Gross weight: 27/32 Kg	115V	MMICRIICAP11	2.860
		230V	MMICRIICAP11	
Cappuccino AD	Group Ø 43 mm., 1 Grinders (Ø = 50 mm) Boiler capacity: Lt 0.7, Direct Water Mains attachment, Power: 2000 W, Voltage: 115/230V, Frequency: 50/60 Hz Dimensions: WxDxH (325x460x480); Net / Gross weight: 27/32 Kg	115V	MMICRIICAP11	2.920
		230V	MMICRIICAP11	

OPTIONAL	FEATURES	VERSIONS	CODE	PRICE €
Cup warmer module	Power 200 W; Voltage 230 V - 50 Hz; WxDxH 250x295x480; Weight 7,3 Kg		ASCMICRO30.1	495
Coffee Hopper	Capacity 0,5 Kg; H 85 mm; Colour Smoke		05000706.F	10
Stainless steel base	Base with direct discharge drawer WxDxH 325x460x150		KCS00005	345
Direct Discharge				25



PRICE LIST


AURELIA II T³

 <p>Standard colours</p> <ul style="list-style-type: none"> Black Matt Pearl White Red 	<p>Traditional coffee machine with innovative T3 technology; LCD graphic display with rotary switch, independent temperature programming for each group; Insulated Boilers; SIS Brewing System; WBC Settings; Reverse mirror, LED light on the work surface; Milk LED on the steam nozzle; Volumetric Dosing ("V" version) or manual ("S" version); 2 stainless steel cool touch steam wand, 1 hot water wand with economizer, programmable electric cup warmer (optional) External pump pressure adjustment, Teflon coated filter holder; Metal Professional Tamper, USB Slot; Added height groups (optional); Easy cream system (optional).</p>				
	MODEL	FEATURES	VERSIONS	CODE	PRICE €
	2 Gr	Steam boiler Lt. 14; Power: 7600W; Voltage: 230/380V; Frequency: 50/60Hz; W x D x H 815x565x565 Net/Gross weight: 78/84 Kg	S 230V	MAURFTST302	9.200
			S 380V	MAURFTST302	9.200
			V 230V	MAURFTVT302	9.500
			V 380V	MAURFTVT302	9.500
	3 Gr	Steam boiler Lt. 17 Power: 9500W Voltage: 230/380V; Frequency: 50/60Hz; W x D x H 1045x565x565 Net/Gross weight: 92/98 Kg	S 230V	MAURFTST303	10.350
			S 380V	MAURFTST303	10.350
			V 230V	MAURFTVT303	10.900
			V 380V	MAURFTVT303	10.900
OPTIONAL	FEATURES	VERSIONS	CODE	PRICE €	
Electric cup warmer		2 Gr		80	
		3 Gr		105	
International certifications				75	
Stainless steel grinds base	Stainless steel base with drawer WxDxH 250x 380x80		KCS00003	150	
Water softener	Water softener 8 lt	Manual	KD80000	120	
	Water softener 9 lt Electronic - Volumetric	Automatic	KD9E0000	710	
	Water softener 12 lt	Manual	KD120000	140	
Leather handle + Teflon coated filter holder			KPFPT00*	145	
"Easy Cream" Steam nozzle	With electronic milk temperature - possible for both steam nozzles	Each		580	
"Cool Touch Nano Tech" wand kit			KLVCTN03	112	



PRICE LIST


AURELIA II

 <p>Colore Standard <input checked="" type="checkbox"/> Black Matt <input type="checkbox"/> Pearl White <input type="checkbox"/> Red</p>	<p>Traditional coffee machine; Multifunction graphic display with Rotary Switch ("Digit" Version); Electronic PID temperature control ("Digit" Version); SIS Brewing System; Reverse Mirror; system lights with LED Milk Light (Optional), Volumetric Dosing ("Digit" and "V" Versions) or manual ("S" Version); 2 Stainless steel steam wands with Push & Pull command; Possibility to add electronic Easy Cream system (on "Digit" Version possible on both steam nozzles; on "V" Version only 1 nozzle), Added height groups (optional); Easy cream system (optional); 1 hot water wand with economizer; Electric cup warmer (optional) Added Height groups (optional) automatic washing system ("Digit" and "V" Versions), USB slot ("Digit" Version).</p>				
	MODEL	FEATURES	VERSIONS	CODE	PRICE €
	2 Gr	Boiler Lt. 14 Power 4500W Voltage: 230/380V Frequency 50/60Hz WxDxH 815x565x565 Net/Gross Weight: 76/82 Kg	S 230V	MAUREISEM02	4.550
			S 380V	MAUREISEM02	4.550
			V 230V	MAUREIVOL02	5.670
			V 380V	MAUREIVOL02	5.670
			DIGIT 230V	MAURFTVDG02	7.800
			DIGIT 380V	MAURFTVDG02	7.800
	3 Gr	Boiler Lt. 17 Power 5200W Voltage: 230/380V Frequency 50/60Hz WxDxH 1045x565x565 Net/Gross Weight: 90/100 Kg	S 230V	MAUREISEM03	5.340
			S 380V	MAUREISEM03	5.340
			V 230V	MAUREIVOL03	6.800
			V 380V	MAUREIVOL03	6.800
			DIGIT 230V	MAURFTVDG03	9.100
DIGIT 380V			MAURFTVDG03	9.100	
4 Gr	Boiler Lt. 22 Power 5200W Voltage: 230/380V Frequency 50/60Hz WxDxH 1275x565x565 Net/Gross Weight: 106/122 Kg	S 230V	MAUREISEM04	6.420	
		S 380V	MAUREISEM04	6.420	
		V 230V	MAUREIVOL04	7.920	
		V 380V	MAUREIVOL04	7.920	
		DIGIT 230V	MAURFTVDG04	10.380	
		DIGIT 380V	MAURFTVDG04	10.380	
OPTIONAL	FEATURES	VERSIONS	CODE	PRICE €	
Led light	Light for milk jug and working plan			400	
Electric cup warmer	Aurelia 2-3-4gr "S" and "V" (on/off)	2 Gr		70	
		3 Gr		95	
		4 Gr		105	
	Aurelia 2-3-4 Gr. "Digit" (programmable)	2 Gr		80	
		3 Gr		105	
		4 Gr		140	
Tall groups version	for 16Oz (specify with order)		n.d.	-	
"Cool touch" wand kit			KLVCT003	90	
"Easy Cream" steam nozzle	With electronic milk temperature, "V" (1 nozzle); "Digit" (possible for both steam nozzles)	Each		580	
Turbocream steam nozzle	Steam nozzle to add automatic milk without temperature probe		KLTC0002	45	
International certifications				75	
Stainless steel grinds base	Stainless steel base with drawer WxDxH 250x 380x80		KCS00003	150	
Water softener	Water softener 8 lt	Manual	KD80000	120	
	Water softener 9 lt Electronic - Volumetric	Automatic	KD9E0000	710	
	Water softener 12 lt	Manual	KD120000	140	
Teflon coated dispersion Block	Teflon coated for easy cleaning		07300183*	18	
Teflon coated filter holder			KPFTF00*	90	
Leather handle + Teflon coated filter holder			KPFT00*	145	
Metal tamper	Pressino ergonomico in metallo ad altezza regolabile		KPCNS001	75	
"Cool Touch Nano Tech" wand kit			KLVCTN03	112	




PRICE LIST

A P P I A II

 <p>Standard colours</p> <p>■ Black</p>	Traditional coffee machine; SIS Brewing System; Volumetric Dosing ("V" Versions) or manual ("S" Version); Builtin volumetric pump; 2 Stainless steel steam wands with Push & Pull command; 1 hot water wand; Water economizer (Optional); Tall groups (Optional); Automatic washing system ("V" Versions).				
	MODEL	FEATURES	VERSIONS	CODE	PRICE €
	2 Gr	Boiler: 11 Lt. Power: 3000W Voltage: 230/380V Frequency: 50/60Hz. Dimensions: WxDxH: 780x545x530H Net/Gross Weight: 60/65 Kg	S 230V	MAPPI13SEM02	3.360
			S 380V	MAPPI13SEM02	3.360
			V 230V	MAPPI13VOL02	4.320
			V 380V	MAPPI13VOL02	4.320
	3 Gr	Boiler 15 Lt. Power 5000W Voltage: 230/380V Frequency 50/60Hz Dimensions: WxDxH 1010x545x530 Net/Gross Weight: 80/85 Kg	S 230V	MAPPI13SEM03	4.430
			S 380V	MAPPI13SEM03	4.430
			V 230V	MAPPI13VOL03	5.320
			V 380V	MAPPI13VOL03	5.320

A P P I A II C O M P A C T

 <p>Standard Colours</p> <p>■ Black</p>	Traditional compact espresso machine; SIS Brewing System; Volumetric Dosing ("V" Versions) or manual ("S" Version); Builtin volumetric pump; 2 Stainless steel steam wands with Push & Pull command; Smart Wand system (Optional); 1 hot water wand; Water economizer (Optional); Tall groups (Optional); Automatic washing system ("V" Versions).				
	MODEL	FEATURES	VERSIONS	CODE	PRICE €
	COMPACT 2GR	Boiler 7,5 Lt. Power 1500/2600W Voltage: 115/230V Frequency 50/60Hz Dimensions: WxDxH 550x545x530 Net/Gross Weight: 60/65 Kg	S 115V	MAPP13SEM02	2.890
			S 230V	MAPP13SEM02	2.890
			V 115V	MAPP13VOL02	3.490
V 230V			MAPP13VOL02	3.490	

OPTIONAL	FEATURES	VERSIONS	CODE	PRICE €
Colours on demand Appia II 2-3 Gr	■ Heart Red □ Pearl White			120
Colours on demand (Appia Compact)	■ Heart Red □ Pearl White			80
Tall groups version	Included			-
Turbocream steam nozzle	Steam nozzle to add automatic milk without temperature probe		KLTC0000	45
"Smart Wand" steam nozzle	With electronic milk temperature control	V		330
Kit hot water economizer	Hot water economizer			90
Electric cup warmer	no Appia Compact	2 Gr		70
		3 Gr		85
International certifications				75
Stainless steel grinds base	Stainless steel base with drawer WxDxH 250x 380x80		KCS00003	150
Water softener	Water softener 8 lt	Manual	KD80000	120
	Water softener 9 lt Electronic - Volumetric	Automatic	KD9E0000	710
	Water softener 12 lt	Manual	KD120000	140
Teflon coated filter holder			KPFTF00*	90
Leather handle + Teflon coated filter holder			KPFPT00*	145
"Cool touch" wand kit			KLVCT004	90
Stainless steel tamper	Ergomic professional tamper with adjustable longness handle		KPCNS001	75
"Cool Touch Nano Tech" wand kit			KLVCTN04	112



PRICE LIST

APPIA II 1 Gr



Standard colours

Black ■

Traditional coffee machine; Volumetric Dosing ("V" Versions) or manual ("S" Version); Builtin volumetric pump; SIS Brewing System; 1 Stainless steel steam wand with Push & Pull command; Electronic Smart Wand system (Optional); 1 hot water wand; Water economizer (Optional); Tall group.

MODEL	FEATURES	VERSIONS	CODE	PRICE €
1 Gr	Boiler 5 Lt. Power 1500/1800W Voltage: 115/230V Frequency 50/60Hz Dimensions: WxDxH 400x545x530 Net/Gross Weight: 42/48 Kg	S 115V	MAPPI13SEM01	1.980
		S 230V	MAPPI13SEM01	1.980
		V 115V	MAPPI13VOL01	2.420
		V 230V	MAPPI13VOL01	2.420
OPTIONAL	FEATURES	VERSIONS	CODE	PRICE €
Colours on demand	■ Heart Red □ Pearl White			80
"Turbocream" steam nozzle	Steam nozzle to add automatic milk without temperature probe		KLTC0000	45
"Smart Wand" steam nozzle	With electronic milk temperature control	V		330
International certifications				75
Stainless steel grinds base	Stainless steel base with drawer WxDxH 250x 380x80		KCS00003	150
Water softener	Water softener 8 lt	Manual	KD80000	120
	Water softener 9 lt Electronic - Volumetric	Automatic	KD9E0000	710
	Water softener 12 lt	Manual	KD120000	140
Teflon coated filter holder			KPFTF00*	90
Leather handle + Teflon coated filter holder			KPFPT00*	145
"Cool touch" wand kit			KLVCT004	90
Stainless steel tamper	Ergomic professional tamper with adjustable longness handle		KPCNS001	75
"Cool Touch Nano Tech" wand kit			KLVCTN04	112



PRICE LIST

MUSICA



Standard colours

■ Fuxia ■ Black

Semiprofessional machine; Thermocompensated group; Programming volumetric dosig; SIS Brewing system; 1 Stainless steel steam wand with Push & Pull command; 1 hot water wand; Stainless steel body; Professional boiler manometer; Water tank or direct water connection ("AD" Version); Led retro-illuminated body (Lux version).

MODEL	FEATURES	VERSIONS	CODE	PRICE €
Standard	Reservoir Lt 3; Insulated copper boiler Lt. 2; Power 1200W; Voltage 115/230V; 50/60Hz; Dim LxPxH 320 x 430 x 400h; Net Weight 20Kg	115V	MMUSICAVOLO1	1.500
		230V	MMUSICAVOLO1	1.400
Lux	Direct water connection; Insulated copper boiler Lt. 2; Power 1200W; Voltage 115/230V; 50/60Hz; Dim LxPxH 320 x 430 x 400h; Net Weight 20Kg	115V	MMUSICA LUX01	1.650
		230V	MMUSICA LUX01	1.550
Standard AD	Direct water connection; Insulated copper boiler Lt. 2; Power 1200W; Voltage 115/230V; 50/60Hz; Dim LxPxH 320 x 430 x 400h; Net Weight 20Kg	115V	MMUSICAVOLO1	1.550
		230V	MMUSICAVOLO1	1.450
Lux AD	Direct water connection; Insulated copper boiler Lt. 2; Power 1200W; Voltage 115/230V; 50/60Hz; Dim LxPxH 320 x 430 x 400h; Net Weight 20Kg	115V	MMUSICA LUX01	1.700
		230V	MMUSICA LUX01	1.600

OPTIONAL

FEATURES

VERSIONS

CODE

PRICE €

Inox base	Base with drawer; dim W x D x H 500 x 350 x 80		KCS00004	240
Inox Base for grinder	Inox base with drawer; dim W x D x H 250 x 380 x 80		KCS00003	150
Professional pack	Professional pressostat and double filter holder on 230 V version			110
Musica direct drip tray kit			KDVD000*	65
Teflon coated filter holder			KPFTF00*	90
Leather handle - teflon coated filter holder			KPFPT00*	145
Grinta* Grinder	*(see dedicated grinders section)			*
MCF* Grinder	*(see dedicated grinders section)			*
International Certification				75
kit water tank + refiller	4 refiller box		KFCWM001	120
Refiller	Confezione da 4 cartucce		KFCWM000	70
Stainless steel tamper	Ergomic professional tamper with adjustable longness handle		KPCNS001	75
Teflon coated dispersion Block	Teflon coated for easy cleaning (3mm)		07300183*	18

OSCAR II



■ Blue ■ Red

Standard colours ■ Black

Semiprofessional machine; Thermocompensated group utilizing thermosiphoning; Manual dosing; 1 steam wand; Body in colored ABS; Water tank or direct water connection ("AD" Version).

MODEL	FEATURES	VERSIONS	CODE	PRICE €
OSCAR II	Reservoir Lt 3; Insulated copper boiler Lt. 2; Power 1200W; Voltage 115/230V; 50/60Hz; Dim WxDxH 300 x 400 x 408; Net/Gross Weight 13Kg	115V	MOSCAIITEM01	820
		230V	MOSCAIITEM01	820
OSCAR II AD	Direct water connection; Insulated copper boiler Lt. 2; Power 1200W; Voltage 115/230V; 50/60Hz; Dim WxDxH 300 x 400 x 408; Net/Gross Weight 13Kg	115V	MOSCAIITEM01	820
		230V	MOSCAIITEM01	820

OPTIONAL

FEATURES

VERSIONS

CODE





PRICE €

Inox base	Base with drawer; dim W x D x H 500 x 350 x 80		KCS00004	240
Inox Base for grinder	Inox base with drawer; dim W x D x H 250 x 380 x 80		KCS00003	150
Teflon coated filter holder			KPFTF00*	90
Leather handle - teflon coated filter holder			KPFPT00*	145
Grinta* Grinder	*(see dedicated grinders section)			*
International Certification				60
Stainless steel tamper	Ergomic professional tamper with adjustable longness handle		KPCNS001	60
Teflon coated dispersion Block	Teflon coated for easy cleaning (3mm)		07300183*	18
Professional Pressostat	*(included in 115V version, certification CSA)			60



PRICE LIST

MACININI ON DEMAND • ON DEMAND GRINDERS

 Mythos One	Electronic grinder with instant grinding; Total/partial dose counter; N° 3 programmed doses; Manual addition; Micrometric grinding adjustment; Adjustable dynamometric tamper (0 - 24 Kg, PLUS version); Coffee beans container of Kostill for food; Stop&Go function; Barista function; Bean hopper extraction safety system; Removable coffee grounds tray; LCD display with two lines; Clima Pro Technology (Mythos One).					
	MODEL	FEATURES	VERSIONS		CODE	PRICE €
 Mythos Plus	MYTHOS ONE	Bean hopper capacity: 1.3 Kg. Burrs: Long Life Ø = 75mm Power: 950W (115V) /800W (230V) Voltage: 115/230V 50/60 Hz Speed Grinding (sec/dose) 2.7" Productivity (Kg/h): 15 Dimensions LxPxH: 188 x 400 x 510 Net/gross weight: 22,5 Kg	115V	Matt Black	AMI 7421	2.180
			220V		AMI 7422	
115V	Pearl White		AMI 7411	2.180		
220V			AMI 7412			
 Mythos Basic	MYTHOS PLUS	Bean hopper capacity: 3.2 Kg. Dybamometric tamper: 0-24Kg Long life burrs Ø = 75mm Power: 950W (115V) /800W (230V) Voltage: 115/230V 50/60 Hz Grinding speed: (7gr): 1.2" - 2.5" Daily production: 10 Kg/day Dimensions LxPxH: 188 x 497 x 595 Net/gross weight: 20/22 Kg	115V	Inox Sat	AMI 7001	2.000
			220V	Inox Sat	AMI 7002	1.970
			115V	Grey Met.	AMI 7031	1.785
			220V	Grey Met.	AMI 7032	1.755
			115V	Matt Black	AMI 7021	1.785
			220V	Matt Black	AMI 7022	1.755
 Mythos Basic	MYTHOS BASIC	Bean hopper capacity: 3.2 Kg. Burrs: Ø = 75mm Power: 950W (115V) /800W (230V) Voltage: 115/230V 50/60 Hz Grinding speed. (7gr): 1.2" - 2.5" Daily production: 10 Kg/day Dimensions LxPxH: 188 x 497 x 595 Net/gross weight: 20/22 Kg	115V	Grey Met.	AMI 7131	1.470
			220V	Grey Met.	AMI 7132	1.450
			115V	Matt Black	AMI 7121	1.470
			220V	Matt Black	AMI 7022	1.450

OPTIONAL

Inox Base for grinder	Inox base with 1 drawer. Dim WxDxH 250x380x80	KCS00003	150
------------------------------	---	----------	------------



PRICE LIST






MACINADOSATORI ON DEMAND • ON DEMAND GRINDERS

	MODEL	FEATURES	VERSIONS	CODE	PRICE €	
 <p>Black <input type="checkbox"/></p> <p>White <input type="checkbox"/></p> <p>Red <input type="checkbox"/></p>	MDJ (On Demand)	Hopper Capacity: 1.6 Kg. Burrs: Ø = 75mm Power: 750W (115V) /575W (230V) Voltage: 115/230V 50/60 Hz Hopper Capacity: 13 Kg day Dimension WxDxH: 215 x 290 x 605 Net/Gross Weight: 15 Kg Grinding speed: 900 rpm	115V	AMJ S75 *130	1.050	
			220V	AMJ S75 *230	1.050	
 <p>Black <input type="checkbox"/></p> <p>White <input type="checkbox"/></p> <p>Red <input type="checkbox"/></p>	MDX (On Demand)	Grinder with micrometric grind adjustment; Adjustable dose; Counter incorporated; Hopper Capacity: Kg 1; Grinding burrs: ø 65 mm; Daily Production: 3 Kg day; Power: 400W (230V) /500W (115V); Voltage: 115/230V; 50/60Hz; Dimension WxDxH: 190x360x590 mm Net/Gross Weight: 10,5/12 Kg	110V	AMX 60*130	700	
			220V	AMX 60*230	660	
 <p>Black <input type="checkbox"/></p> <p>White <input type="checkbox"/></p> <p>Red <input type="checkbox"/></p> <p>Standard Colour</p> <p>Chrome <input type="checkbox"/></p>	GRINTA	Grinder with micrometric grind adjustment; Adjustable dose; Counter incorporated; Hopper Capacity: Kg 0.5; Grinding burrs: ø 50 mm; Daily Production: 0,5 Kg day; Power 220W; Voltage: 115/230V; 50/60Hz; Dimension WxDxH: 140x210x420 mm Net/Gross Weight: 4,2/5 Kg	115V	AGRINTASEM00	260	
			230V	AGRINTASEM00	250	
			115V	AGRINTATEM00	270	
			230V	AGRINTATEM00	260	
			C H R O M E	115V	AGRINTASEM00	280
				230V	AGRINTASEM00	270
				115V	AGRINTATEM00	290
				230V	AGRINTATEM00	280
OPTIONAL						
Inox Base for grinder		Inox base with 1 drawer. Dim WxDxH 250x380x80		KCS00003	150	

--	--	--	--	--	--






PRICE LIST

MACINADOSATORI		GRINDERS				
	MODEL	FEATURES	VERSIONS	CODE	PRICE €	
 Standard colour Black <input checked="" type="checkbox"/> Red <input checked="" type="checkbox"/> White <input type="checkbox"/>	MDJ	Semiprofessional grinder; Micrometric grind adjustment; Hopper Capacity Kg 1.6; Burrs; Ø 75 mm; Daily Production: 10 Kg day; Grind speed: 900 rpm Power: 750W (115V)/575W (230V); Voltage: 115/230V/380V - 50/60Hz; Dimension WxDxH: 215x350x605 mm Net Weight: 16 Kg	115V	AMJAS75*1	980	
			230V	AMJAS75*2	980	
 Standard colour Black <input checked="" type="checkbox"/> Red <input checked="" type="checkbox"/> White <input type="checkbox"/>	MDK	Semiprofessional grinder; Micrometric grind adjustment; Hopper Capacity Kg 1.6; Conical burrs: tempered steel 13/68 mm; Daily Production: 15 Kg day; Grinding speed: 900 rpm Power: 225W (115V)/260W (230V); Voltaggio: 115/230V/380V - 50/60Hz; Dimension WxDxH: 235x330x585 mm Net Weight: 17 Kg	220V	AMKCS60*2	1.150	
			380V	AMKCS60*4	1.150	
 Standard colour Black <input checked="" type="checkbox"/> Red <input checked="" type="checkbox"/> White <input type="checkbox"/>	MDKR	Semiprofessional grinder; Micrometric grind adjustment; Hopper Capacity Kg 1.6; Conical burrs: tempered steel 13/68 mm; Daily Production: 15 Kg day; Grinding speed: 300 rpm Power: 225W (115V)/260W (230V); Voltaggio: 115/230V/380V - 50/60Hz; Dimension WxDxH: 235x330x585 mm Net Weight: 17 Kg	380V	AMKRCS60*4	1.500	
 Standard colour Matt black <input checked="" type="checkbox"/> White <input type="checkbox"/> Red <input checked="" type="checkbox"/>	MDX	Grinder with micrometric grind adjustment; Adjustable dose; Counter incorporated; Hopper Capacity Kg 1; Grinding burrs ø 65 mm; Production/hr: Kg 9; Power 290W; Voltage 115/230V; 50/60Hz; Dimension WxDxH: 190x290x590 mm Net/Gross Weight: 10,5/12 Kg	Manual			
			115V	Painted	AMX 60*1	610
				Chrome	AMX 6061	815
			230V	Verniciato	AMX 60*2	560
				Chrome	AMX 6062	790
			Automatic			
			115V	Painted	AMXA60*1	640
				Chrome	AMXA6061	835
220V	Painted	AMXA60*2	600			
	Chrome	AMXA6062	815			
 Standard colour Black Red	MCF	Semiprofessional grinder; Micrometric adjustment; Hopper capacity Kg 0,5; Burrs ø 50 mm; Production/hr: Kg 5 Power: 225W (115V)/260W (230V); Voltage 230/115V; 50/60Hz. Dimension WxDxH: 150x205x325 mm Net Weight 5/6 Kg	115V	AMF 70*1	390	
			230V	AMF 70*2	380	
OPTIONAL						
Inox Base for grinder		Inox base with 1 drawer. Dim WxDxH 250x380x80		KCS00003	150	




PRICE LIST

LAVAGGIO WASHERS

Lavastoviglie in acciaio inox con giranti in materiale anticalcare.					
MODEL	FEATURES	VERSIONS	CODE	PRICE €	
	Kiara 1	230V	○	ALK10002	1.450
			□	ALK1F002	1.520
	Kiara 2	230V	○	ALK20002	1.590
			□	ALK2F002	1.640
Kiara 3	230V	○	ALK30002	2.000	
		□	ALK3F002	2.300	
Kiara 4	230V	○	ALK40002	1.820	
		□	ALK4F002	1.930	
	Kiara 5	230V	□	ALK5F002	2.270
			+ Discharge Pump	ALK5F102	2.540
	Kiara 6	380V	□	ALK6F004	2.950
			+ Discharge Pump	ALK6F104	3.250
		"ECO"- 230V	□	ALK6F0E2	2.370
	LTM 1500	380V	□	ALTM1504	4.460
			230V	□	ALTM1602
	LTM 1600	380V		□	ALTM1604

ACCESSORI BAR ACCESSORIES

PIASTRE	MODEL	FEATURES	VERSIONS	CODE	PRICE €
	P1L	Deluxe grill with 1 ridged plate; Timer incorporated; Power 2050W; Voltage: 230/115V; 50/60Hz; Dim WxDxH: 380x440x500 mm; Net Weight Kg 21.	115V (ETL)	APL10T01E0	600
			230V	APL10T0200	590
	P2L	Deluxe grill with 2 plates; incorporated timer; Power 3100W; Voltage: 230V/60Hz; Dim WxDxH: 515x440x500; Net Weight Kg 31.	230V 2 Ridged Plates	APL20TR200	810
			ETL - 230V 2 Ridged Plates	APL20TR2E0	820
			230V 1 Ridged Plate; 1 Plane	APL20TM200	810
		230V 2 Plane Plates	APL20TL200	810	

Versions with different electrical supply (60Hz):+8%.

Goods ex works - Packaging included - V.A.T. Not included - Nuova Simonelli reserves the right to introduce all changes required - The present price list cancell any previous one.



Nuova Simonelli SpA
Via M. D'Antegiano, 6
62020 Belforte del Chienti - Macerata Italy
Cod. Fisc. e P.IVA IT 00663660439
REA MC 0093548 / M. MC 000028
Reg. Soc. Trib. MC n. 4102
Cap. soc. i.v. € 1.000.000

Nuova Simonelli SpA
Via M. D'Antegiano, 6 - 62020 Belforte del Chienti - Macerata Italy
tel. +39.0733.9501 fax +39.0733.950242
videoconf. +39.0733.950201
www.nuovasimonelli.it n.simonelli@nuovasimonelli.it

Nuova Distribution USA
6940 Salashan PKWY BLDG A Ferndale, WA 98248
tel. +1.360.3662226 fax + 1.360.3664015
videoconf. +1.360.3188595
www.nuovasimonelli.com info@nuovadistribution.com