

APPIA life.





Coffee machines for life.









life.



Coffee machines for life.





APPIA LIFE XT 2 GROUPS APPIA LIFE XT 3 GROUPS



The family expands



APPIA LIFE A GUARANTEE FOR SUCCESS

Appia Life is created based on the success of the Appia.

With its high productivity and high performance, this machine is appreciated by thousands of baristas worldwide.

The continuous studying and researching of the Nuova Simonelli team regarding the Appia Life, made possible the creation of a superb machine; even more comfortable for the barista with even simpler maintenance compared to the previous Appia.

Appia Life has been studied for those who want a simple and trustworthy machine. It is the perfect coffee maker for large companies, coffee shop chains or wherever there is a need to prepare an abundance of great coffee.

Simple and innovative. Appla life stands out, not only for its proven reliability but also for the modern style that makes it unique.

On top of this, now Appia Life was designed to save energy, sustain the environment, and be cost-effective.

Appia Life is now also available with a display in the XT version.

High productivity and more sustainable



simple and... innovative



ENERGY SAVING & COST-EFFECTIVE







INSULATION

The boiler of the Appia Life has DRYTEX THERMICAL technology insulation that

reduces 13%*

of energy consumption compared to the Appia II, and it comes as standard series in the whole range of the machine.



CONSUMPTION

Appia Life guarantees a

20% reduction

in energy consumption and environmental impact. The Life Cycle Assessment** analysis confirms that the Appia Life with its new thermal system, new materials, and general optimization of the mechanical components, has 20% less environmental impact compared to the Appia II.



^{*} value calculated on Appla Life vs Appla II benchmark

^{**} Life Cycle Assessment is a structured and standardized method used worldwide that quantifies the potential impacts on the environment and human health associated with the use of a product, starting with respecting resources and emissions.







APPIA LIFE: PRODUCTIVITY AND CONSISTENCY



HIGH PRODUCTIVITY

Appla Life is able to prepare up to 250 cappuccinos* on dally basis.



MACHINE CONSISTENCY, BECAUSE EVERY CUP COUNTS.

The machine consistency is based on the following technology:

· SIS - SOFT INFUSION SYSTEM

SIS guarantees a soft infusion allowing a consistent result, it compensates for any incorrect coffee tamping and it avoids the channelling effect.

EASYCREAM

It allows the quick and automatic making of a dense and velvety milk cream. The nozzles thermal insulation allows this component to be safe, reliable and hygienic.

*Data: Appia Life 2groups volumetric



EVEN MORE ADVANCED

The new XT version completes the Appia Life machines family, available in 2 and 3 groups in the volumetric version [5 dispensing keys per group].

The performance remains unchanged compared to the 2 and 3 group Appia Life models, but the Appia Life XT has evolved in the form and in the innovative details that improve the final results.



TFT DISPLAY FEATURES



DOSE PROGRAM

It allows programming the dose for each group.



CLEANING

It allows scheduling the group cleaning and set up the alarm.



COUNTERS

It's possible to see how many times each group dispensed coffee.



DISPLAY AND BUTTONS

It's possible to adjust the brightness of the buttons and display.



SETTINGS

It allows the setting of standard functions and it provides information about the software and connection.



GREAT COMFORT MEANS HAPPY BARISTAS

Happy barista means greater productivity.

Appia Life makes productivity even more efficient thanks to it's ergonomic style, improving the service speed and assisting the barista in day-to-day performances.



REVERSE MIRROR

This feature allows the barista to check the coffee dripping and cleanliness of the filter holder from a much more comfortable position.



ALIGNED CUP WARMER

The cup warmer is aligned with the top of the machine. Thanks to this feature, the user has an easier reach and speeds up the working process.



PUSH BUTTON PANEL

The push-button panel has been re-created to be user friendly and more resistant in the long run.



EASY MAINTENANCE

Appia Life has been designed to be more efficient when it come to maintenance. The complete new style of the machine facilitates the user in any operations routine. Its new adjustable nozzle attachment, new side opening system and redesigned groups, are all features that allow it to be majorly efficient.



NO ONE HAS EVER GIVEN YOU SO MUCH FOR THE SAME VALUE AS APPIA LIFE

Appia Life is available with 2 groups as "Semi-automatic" and "Volumetric", which has useful functions including the practical "automatic wash".





redesigned and enhanced

NEW DESIGN

Even more compact, the Appia Life empowers a stronger connection between machine and barista. The new stylish design allows the coffee machine to be suitable for any arrangement.

With the edition of two chrome bands wraped around the rear panel, the machine radiates a serene fascination.



LOW GROUP <



SINGLE GROUP



COMPACT [△]_下



FUNCTIONAL ASPECTS

Appia Life has all the great features of the previous Appia, only better; push & pull levers, soft-touch portafilter, stainless steel drip tray, adjustable steel nozzles, the wide work surface, the water level indicator, the dual scale pressure gauge and the raised or standard height groups are all re-confirmed features of this incredible machine.

The remote control function is one of the newest features of the Appia Life. It helps the user control and manage the machine from a remote device.



PUSH & PULL LEVERS

AUTOMATIC CLEANING

BE THE BE

DIGITAL CONTROL







EASY CREAM SYSTEM







USER FRIENDLY











STANDARDSERIES

ZEWanel


XTSERIES



VERSION		XT 2 GROUPS	XT 3 GROUPS
MODEL		Volumetric	Volumetric
BODY	MATERIAL	stantesssteet with ABS	staintenssteel with ABS
BOILER	TOTAL CAPACITY	1119	生性
	INSULATION	included	included
	PRESSURE SENSORS	inclined	included
GROUP	RAISED GROUPS	petional	aptional
	LED LIGHTS	included	included
STEAM	EASYCREAM	optional	pot)onal
	COOL TOUCH STEAM WAND	optional	Jenortne
HOT WATER	N. WAND	0	
	ECONOMIZER	optional	pational
CUPWARMER	ON/OFF ELECTRIC	optional	phildrel
RAIL		optional	uptional
REMOTE CONTROL		optional	aptional
DISPLAY		included	ractuded
DIMENSION	WxDxHmm	784 × 545 × 498	1014 × 545 × 498
WEIGHT	NET/GROS KG	54/66	72/85
POWER	VOLTAGE	220-240V 50-60Hz 380-415V V3N	220-240V 50-60Hz 380-4/5V V3h
	MAXIMUM POWER	8950	5400

TECHNICAL SPECIFICATIONS, COLOURS AND DIMENSIONS

In addition to the "standard" version with side panels and black base. Appla Life is also available in White Pearl and Heart Red, with chrome profiling.




Hole size and distance 3 GROUPS STANDARD



TECHNICAL SPECIFICATIONS, COLOURS AND DIMENSIONS

In addition to the "standard" version with side panels and black base. Appia Life is also available in White Pearl and Heart Red, with chrome profiling

Hole size and distance 2 GROUPS



VERSION		2 GR	OUPS	3 GR	3 GROUPS	
MODEL		Semi-automatic	Volumetric	Semi-automatic	Volumetric	
BODY	MATERIAL	stainlesssteel with ABS	stainlessateel with ABS	stainlesssteel with ABS	stamesseteel with ABS	
BOILER	TOTAL CAPACITY	THE	*nt	15Lt	1512	
	INSULATION	includest	metuded	mctuded	included	
GROUP	RAISED GROUPS	optional.	pptional	optional.	optional	
STEAM	EASYCREAM		optional		optional	
	COOL TOUCH STEAM WAND	optional	optional	optional	optional	
HOT WATER	N. WAND	1	1	T.	1	
	ECONOMIZER	optional	optional	optional	optional	
CUPWARMER	ON/OFF ELECTRIC		optional		cptions)	
RAIL		opnosa.	optional	optional	optional	
REMOTE CONTROL			optional		optional	
DIMENSION	W x D x H mm	784 x 544 x 500	784 x 544 x 500	1014 x 544 x 500	1014 x 544 x 500	
WEIGHT	NET/GROS KG	54/66	54766	72/85	72/95	
POWER	VOLTAGE	220-240V 50-60Hz 380-415V V2N	220-246V 50-50Hz 380-415V V3N	220-240V 50-60Hz 380-415V V3N	220-240V 50-60Hz 380-415V V3N	
	MAXIMUM POWER	3350	3350	5400	5400	

STANDARD








TECHNICAL SPECIFICATIONS, COLOURS AND DIMENSIONS

In addition to the "standard" version with side panels and black base. Appia Life is also available in White Pearl and Heart Red, with chrome profiling.

> Hole size and distance COMPACT



VERSION		COM	PACT
MODEL		Sami-automatic	Volumetric
BODY	MATERIAL	stain(ess steel with ABS	standess steel with ABS
BOILER	TOTAL CAPACITY	7.5(t)	2.511
	INSULATION	Incurati	Design Date
GROUP	RAISED GROUPS	optional	optional
STEAM	EASYCREAM		optional
	COOL TOUCH STEAM WAND	optional	optional
HOTWATER	N. WAND	1	1
	ECONOMIZER	optional	optional
CUPWARMER	ON/OFF ELECTRIC	optional	Junifran
REMOTE CONTROL			optional
DIMENSION	W × D × H mm	554 × 545 × 448	554 × 545 × 498
WEIGHT	NET/GROS KG	42,5/52,5	42,5/52,5
POWER	VOLTAGE	220-240 V 50-60Hz	220-240 V 50-60HL
	MAXIMUM POWER	2900	2900

STANDARD



VERSION		1 GROUP		
MODEL		Semi-automatic	Volumetric	
BODY	MATERIAL	stainless steel with ABS	stainless steel with ABS	
BOILER	TOTAL CAPACITY	5lt	Sit	
	INSULATION	included	included	
GROUP	RAISED GROUPS	included	included:	
STEAM	EASYCREAM		uptomal	
	COOL TOUCH STEAM WAND	aptional	antional	
HOT WATER	N. WAND	1	1	
	ECONOMIZER	optional	optional	
REMOTE CONTROL			eptienal	
DIMENSION	W x D x H mm	404 × 545 × 498	404 × 545 × 498	
WEIGHT	NET/GROS KG	32,5/41	32,5/41	
POWER	VOLTAGE	220-240 V 50-60Hz	220-240 V 50-60Hz	
	MAXIMUM POWER	1900	1900	

TECHNICAL SPECIFICATIONS, COLOURS AND DIMENSIONS

In addition to the "standard" version with side panels and black base, Appla Life is also available in White Pearl and Heart Red, with chrome profiling.



Hole size and distance SINGLE GROUP





COMPARISON SHEET

VERSION		KT 3 GROUPS	KT 2 GROUPS
MODEL		Volumetric	Volumetric
8007	MATERIAL	stainless three with 685	stainless titers with ABS
ROILER	TOTAL CAPACITY	35/2	no.
	INSULATION	included	included
	PRESSURE SENSORS	esclusded	racioned
GROUP	RAISED GROUPS	optional	optional.
	LED LIGHTS	included	beautics
STEAM	EASYCREAM	optional	pational
	COOL TOUCH STEAM WAND	uptional	optional
HOT WATER	N. WAND	1	4
	ECONOMIZER	apsequal	optional
CUPWARMER	ON/OFF ELECTRIC	metional	pptidnat
RAIL		optional	optional
REMOTE CONTROL		institution	ontideal
DISPLAY		included	papulget
DIMENSION	WXDXH.MM.	1034%9/5%498	76.d×5.45×409
WEIGHT	NET/GROS RG	72/85	54/66
POWER	VOLTAGE	220-240V 50-60Hz SED (USV VEV.	JACK VEID- OBS THOSE OF VOKS CALS
	MAXIMUM POWER	5400	8950

APPIA LIFE XT

VOLUMETRIC



VERSION		3 000)UP5	2 GRC	States:	COM	PACT	E CSTO	OUP:
MODEL		Semi-automatic	Volumetric	Semi-automatic	Volumetric	Semi-automatic	Volumetric	Semi-automatic	Volumetric
BODY	MATERIAL	stanies steel with ARS	stanless steel with ABS	strinless steel with ABS	stantes steel with ABS	stainless stock with ABS	stainless steel with ABS	stantais iteel with ABS	stanies steel with ABS
BOILER	TOTAL CAPACITY	35(5	1515	rur	703	7,511	7.6(n	St	437
	INSULATION	History	evolutied	writined	mousea	included	meliaded	enthinen	lamines
GROUP	RAISED GROUPS	optional	optional	optional	Janaitgo	optional	optional	included.	required
STEAM	EASYCREAM		siptions		antimal		optional		lancitiqo-
NOT WATER	N, WAND	h .	r	- 1	Y :	1	7	3	1
	ECONOMIZER	Instignal	limithtee.	agitional	optional	actional	optional	lancitae	dofforel
CUPWARMER	ON/OFF FLECTRIC		and and a		opposit	-obticival	notional.	leocido6	optional
RAIL		knedop	supportal.	optomal	aptional				
REMOTE CONTROL			pationel		optional		option or		odUpnal
DIMENSION	WXDXHMM	1014x544x500	101485444500	784x544x500	794×544×500	554×543×498	354x545x49ii	4514×545×498	404×545×490
WEIGHT	NET/GROS KG	72/05	72/05	54/66	54/60	42.5/52.5	42.5/52.5	32,3/41	32.5(41)
POWER	VOLTAGE	320-240V 50 - 60Hz 380-411V V3N	220-240V 50 - 60Hz 380-4ISV V3N	220-240V 50 - 60H2 380-A15V V3N	220-240V 50 - 60Ht 380-415V 93N	220-242 9 20-60Hz	320-240 V 50-60Hs	220-240 V 50-60Hz	220-240 V 50-60Hz
	MAXIMUM POWER	5400	3.400	353.0	9350	2,900	2900	1900	1400

APPIA life.

Coffee machines for life.











ITALY

Simonelli Group Via E. Betti, 1 62020 Belforte del Chienti Macerata - Italy T +39 0733 9501 F +39 0733 950242 info@simonelligroup.it www.simonelligroup.it

SINGAPORE

Simonelli Group Asia Pacific Pte Ltd 380 Jalan Besar #06-03-04, ARC 380, Singapore 200000 T +65 68410985 www.nuovasimonelliasiapacific.com

USA

Nuova Distribution Usa 6940 Salashan Pkwy, Bldg, A Ferndale, WA 98248 T +1 360 366 2226 F +1 360 366 4015 info@simonelliusa.com www.simonelliusa.com

FRANCE

Nuova Distribution France Hexapole - Actipole - Bat 5 Rue Maurice Herzog 73420 Viviers Du Lac T +33 [0] 9 67894852 F +33 (0) 4 79544852 Info@nuovadistribution,fr

